

Product data sheet

Item No. 93.422.4553.1

Male connector with strain relief BST14I2F S1 ZR1 S
MPB02

Connector BST14i2, 2 pole, male, spring clamp connection,
50V/3A, color of coding: pastel blue, color of housing: black



Item No.	93.422.4553.1
EAN	4015573655515
Order Unit	50 Piece(s)

Certificates / Approvals



Technical data

General

Rated current	3 A
Rated voltage	50 V
Rated impulse voltage	0.8 kV
Strain relief	Yes
Pollution degree	2
Mechanical coding	Yes
Lockable	Yes
Color of coding/ contact carrier	Pastel blue
Marking of poles	1+, 2-
Color of housing inclusive strain relief	Black

Connection Data

Cable diameter	6.5 mm
Cable diameter 2	5.5 mm
Terminations per pole	1

Model

Model	male
-------	------

Connection type	Spring force
Degree of protection (IP)	IP20


Material

Housing material	Polyamide
Halogen free	Yes
Contact material	CuBe
Insulation components continuous temperature	100 °C
Surface finish	Gilt

Dimensions

Length	47 mm
Width	15.2 mm
Height	14.4 mm

Technical drawing



934224553001K_4 CADW/D44 treschan 2006-10-13 1094903 1.000

