

Date

Name

Client

Project Name


Quote#

Type/Quantity

CABLE BASE R

203 99 55

[Lien web](#)



Coloris disponibles: ALU ANODISE (203 99 55 ANO)
 NOIR (203 99 55 B)
 BLANC (203 99 55 W)

Poids: 0.1 KG
Distance minimale: indisp.

Options: COVERSET R 62-90-100

Pour obtenir des instructions d'installation détaillées, Consultez le manuel svp [203_99_55_HAND.pdf](#)

CABLE BASE R**203 99 55**

TRACK 3F DIM ON 1m
TRACK 3F DIM ON 3m
TRACK 3F DIM H 2m
TRACK CURRENT SUPPLY 5 x 0,75mm² 3,0m
SUPERNOVA LINE SR 25483
SUPERNOVA LINE SR 25483 DIM5
SUPERNOVA SR 424
SUPERNOVA LINE SR 42483 DIM1
SUPERNOVA SR 424 DIM2
SUPERNOVA LINE SR 65483
SUPERNOVA LINE SR 65483 DIM5
SUPERNOVA SR 254 DOWN-UP
SUPERNOVA SR 424 DOWN-UP
SUPERNOVA SR 654 DOWN-UP
SUPERNOVA LINE 65 TW DIM5
SUPERNOVA LINE 6583 DIM1
SUPERNOVA LINE 6583 PRISMATIC
SUPERNOVA LINE 6583 PRISMATIC DIM5
SUPERNOVA LINE 9583
SUPERNOVA LINE 9583 DIM5
SUPERNOVA LINE 9583 PRISMATIC DIM1
SUPERNOVA LINE 125 TW DIM5
SUPERNOVA LINE 12583 DIM1
SUPERNOVA 125
SUPERNOVA 12528 DIM1
SUPERNOVA 65 DIM2
SUPERNOVA 95
SUPERNOVA 9528 DIM1
SUPERNOVA LINE 6583 DOWN-UP
SUPERNOVA LINE 6583 DOWN-UP DIM5
SUPERNOVA LINE 6583 PRISMATIC DOWN-UP DIM1
SUPERNOVA LINE 95 TW DOWN-UP DIM5
SUPERNOVA LINE 9583 DOWN-UP DIM1
SUPERNOVA LINE 9583 PRISMATIC DOWN-UP
SUPERNOVA LINE 9583 PRISMATIC DOWN-UP DIM5
SUPERNOVA LINE 12583 DOWN-UP
SUPERNOVA LINE 12583 DOWN-UP DIM5
SUPERNOVA 125 DOWN-UP DIM2
SUPERNOVA 65 DOWN-UP DIM2
SUPERNOVA 95 DOWN-UP DIM2
TWEETER ON 4 C 92750 DIM8
TWEETER ON 4 C 93050 DIM8
TWEETER ON 4 C REO 2750
TWEETER ON 4 C REO 3050
METRONOME XXL
MID80 - CURRENT SUPPLY 3 x 0,75mm² 6,0m
MID80 - CURRENT SUPPLY 5 x 0,75mm² 6,0m
SUPER-OH! 70 83020
SUPER-OH! 70 DOWN-UP 82720
SUPER-OH! 120 82720
SUPER-OH! 120
SUPER-OH! 120 DOWN-UP 83020
SUPER-OH! 170 83020
SUPER-OH! 170 DOWN-UP 82720

TRACK 3F DIM ON 2m
TRACK 3F DIM H 1m
TRACK 3F DIM H 3m
SUPERNOVA SR 254
SUPERNOVA LINE SR 25483 DIM1
SUPERNOVA SR 254 DIM2
SUPERNOVA LINE SR 42483
SUPERNOVA LINE SR 42483 DIM5
SUPERNOVA SR 654
SUPERNOVA LINE SR 65483 DIM1
SUPERNOVA SR 654 DIM2
SUPERNOVA SR 254 DOWN-UP DIM2
SUPERNOVA SR 424 DOWN-UP DIM2
SUPERNOVA SR 654 DOWN-UP DIM2
SUPERNOVA LINE 6583
SUPERNOVA LINE 6583 DIM5
SUPERNOVA LINE 6583 PRISMATIC DIM1
SUPERNOVA LINE 95 TW DIM5
SUPERNOVA LINE 9583 DIM1
SUPERNOVA LINE 9583 PRISMATIC
SUPERNOVA LINE 9583 PRISMATIC DIM5
SUPERNOVA LINE 12583
SUPERNOVA LINE 12583 DIM5
SUPERNOVA 125 DIM2
SUPERNOVA 65
SUPERNOVA 6528 DIM1
SUPERNOVA 95 DIM2
SUPERNOVA LINE 65 TW DOWN-UP DIM5
SUPERNOVA LINE 6583 DOWN-UP DIM1
SUPERNOVA LINE 6583 PRISMATIC DOWN-UP
SUPERNOVA LINE 6583 PRISMATIC DOWN-UP DIM5
SUPERNOVA LINE 9583 DOWN-UP
SUPERNOVA LINE 9583 DOWN-UP DIM5
SUPERNOVA LINE 9583 PRISMATIC DOWN-UP DIM1
SUPERNOVA LINE 125 TW DOWN-UP DIM5
SUPERNOVA LINE 12583 DOWN-UP DIM1
SUPERNOVA 125 DOWN-UP
SUPERNOVA 65 DOWN-UP
SUPERNOVA 95 DOWN-UP
TWEETER ON 4 C 92733 DIM8
TWEETER ON 4 C 93033 DIM8
TWEETER ON 4 C REO 2733
TWEETER ON 4 C REO 3033
METRONOME L
MID80 - CURRENT SUPPLY 3 x 0,75mm² 1,6m
MID80 - CURRENT SUPPLY 5 x 0,75mm² 1,6m
SUPER-OH! 70 82720
SUPER-OH! 70
SUPER-OH! 70 DOWN-UP 83020
SUPER-OH! 120 83020
SUPER-OH! 120 DOWN-UP 82720
SUPER-OH! 170 82720
SUPER-OH! 170
SUPER-OH! 170 DOWN-UP 83020

SUPER-OH! 70 SBL
 SUPER-OH! 70 SBL DOWN-UP
 SUPERLOOP HC 70 SBL 930
 SUPERLOOP HC 120 SBL 930
 SUPERLOOP HC 70 SPR 930
 SUPERLOOP HC 120 SPR 930
 SUPERDOME E27
 NB140/200 / BAN200 - CURRENT SUPPLY 3 x 0,75mm² 1,6m
 NB140/200 / BAN200 - CURRENT SUPPLY 5 x 0,75mm² 1,6m
 OUTFIT L 211 T50
 OUTFIT U 211 T50
 UNI70 - CURRENT SUPPLY 3 x 0,75mm² 1,6m
 UNI70 - CURRENT SUPPLY 5 x 0,75mm² 1,6m
 HDL75 - CURRENT SUPPLY 3 x 0,75mm² 1,6m
 HDL75 - CURRENT SUPPLY 5 x 0,75mm² 1,6m
 B-LINER 65 P630 DIM1
 STREAMLINER 70S P2483 DIM1
 STREAMLINER 70S P4883 DIM1
 FNL - CURRENT SUPPLY 3 x 0,75mm² 6,0m
 FNL - CURRENT SUPPLY 5 x 0,75mm² 6,0m
 FTL35 F HE DOWN-UP - CURRENT SUPPLY 2 x 0,75 mm² 1,6m
 SUPERLOOP HC 90 MDL
 SUPERLOOP HC 170 MDL
 SUPERLOOP S HC 109 MDL
 SUPERLOOP S HC 217 MDL

SUPER-OH! 120 SBL DIM5
 SUPER-OH! 120 SBL DOWN-UP DIM5
 SUPERLOOP HC 90 SBL 930
 SUPERLOOP HC 170 SBL 930
 SUPERLOOP HC 90 SPR 930
 SUPERLOOP HC 170 SPR 930
 SUPERDOME 9528 DIM1
 NB140/200 / BAN200 - CURRENT SUPPLY 3 x 0,75mm² 6,0m
 NB140/200 / BAN200 - CURRENT SUPPLY 5 x 0,75mm² 6,0m
 OUTFIT L 411 T50
 OUTFIT U 411 T50
 UNI70 - CURRENT SUPPLY 3 x 0,75mm² 6,0m
 UNI70 - CURRENT SUPPLY 5 x 0,75mm² 6,0m
 HDL75 - CURRENT SUPPLY 3 x 0,75mm² 6,0m
 HDL75 - CURRENT SUPPLY 5 x 0,75mm² 6,0m
 STREAMLINER 70S P2483
 STREAMLINER 70S P4883
 FNL - CURRENT SUPPLY 3 x 0,75mm² 1,6m
 FNL - CURRENT SUPPLY 5 x 0,75mm² 1,6m
 FTL35 - CURRENT SUPPLY 2 x 0,75 mm² 1,6m
 SUPERLOOP HC 70 MDL
 SUPERLOOP HC 120 MDL
 SUPERLOOP S HC 106 MDL
 SUPERLOOP S HC 211 MDL

Références alliées

LES SETS POUR RECOUVREMENT PLAFOND

