



# Ty-Rap®

## TY528M-NDT

The new Ty-Rap® Detectable Cable Ties from Thomas & Betts incorporate a unique compound (patent pending) that can be detected by X-Ray equipment, metal detectors and visual inspection equipment. They are particularly recommended for applications in food, pharmaceutical and other contamination-sensitive industries using detection systems, where cable tie installation residuals (cut tails) are not allowed in the finished product.

<b>T&amp;B Catalog Number:</b>	<b>TY528M-NDT</b>
<b>EAN Number:</b>	05414363176122
<b>UPC Number:</b>	78621099535
<b>Description:</b>	Premium, detectable cable tie, 360 x 4.8 mm, blue Polyamide 6.6

### Technical Information

Type	detectable
Material	Polyamide 6.6
Material Property	Polyamide 6.6 with metal detectable compound
Material Locking Barb	316 grade stainless steel
Temperature Range	-40°C to +85°C
Flammability Rating	UL 94 V-2
Colour	blue
Halogen free	yes
Silicone free	yes

### Ordering Information

Length (mm)	360
Width (mm)	4.8
Thickness (mm)	1.1
Max. Bundle Diameter (mm)	102
Min. Bundle Diameter (mm)	3.5
Min. Tensile Strength (N)	220
Quantity (pieces)	100
Packaging Type	Euroslot bag
Storage Conditions	Nylon (Polyamide) is inherently susceptible to environmental conditions. Polyamide 6.6 cable ties are moisturised to optimum performance levels at machine-side and should be stored in cool dry areas out of direct sunlight. Cable ties are packaged in plastic bags to contain moisture and should remain sealed until ready for use.

For additional information, please contact our customer service. Phone: +32 (0) 64 88 63 88 - Fax: +32 (0) 64 88 65 50