

Date

Name

Client

Project Name



Quote#

Type/Quantity

SUPERNOVALINE 6583 DOWN-UP DIM1

274 96 06 83 ED1

[Weblink](#)



Beschikbare kleuren: ZWART (274 96 06 83 ED1 B)
WIT (274 96 06 83 ED1 W)

INCL.PC SBL
INCL.LED CLUSTERS 60W DOWN + 15W UP / CRI>80 / 3000K / 9800lm
INCL.DIMMABLE LED POWER SUPPLY
CABLING 2 CIRCUITS
DIMMING BY 1-10V CONTROL
INCL.4 x CABLE SUSPENSION SINGLE AUTO. 3.0m
INCL.2 x CABLE 5 x 0.75mm²

LED Technics: Lichtbron: 10170 lm // 75 W // 136 lm/W
Luminaire: 7628 lm // 86 W // 88 lm/W

220-240V / 0|50-60Hz

Klasse: I

Gewicht: 9 KG
Protection level: IP20
Minimumafstand: n.v.t.

Opties: CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90

Voor gedetailleerde installatie-instructies, raadpleeg de handleiding. [274_96_06_8X_ED1_HAND.pdf](#)


SUPERNOVALINE 6583 DOWN-UP DIM1

274 96 06 83 ED1

Related references


COVERSETS

[Weblink / Specificatieblad](#)




COVERSET R 100
204 00 100

[Weblink / Specificatieblad](#)




COVERSET R 62
204 00 62

[Weblink / Specificatieblad](#)




COVERSET R 90
204 00 90

[Weblink / Specificatieblad](#)




COVERSET S 62
204 62 62

[Weblink / Specificatieblad](#)



COVERSET S 80
204 80 80

[Weblink / Specificatieblad](#)




COVERSET S 90
204 90 90

Related references


OPHANG TOEBEHOREN

[Weblink / Specificatieblad](#)



CABLE BASE R
203 99 55

[Weblink / Specificatieblad](#)



CABLE BASE S
203 99 56

SUPERNOVALINE 6583 DOWN-UP DIM1

274 96 06 83 ED1

Gerelateerde project foto van product familie:

